

Date/Time: 2014-09-19 08:08:51 -0400
OS Version: 10.9.5 (Build 13F34)
Architecture: x86_64
Report Version: 18

Command: WeatherCat
Path: /Applications/WeatherCat.app/Contents/MacOS/WeatherCat
Version: 1.2.0 (1.2.0)
Parent: launchd [215]

PID: 518
Event: hang
Duration: 0.99s (process was unresponsive for 15 seconds before sampling)
Steps: 10 (100ms sampling interval)

Hardware model: iMac12,2
Active cpus: 4
Fan speed: 1149 rpm

Free pages: 1893676 pages (-1535)
Pageins: 3668 pages
Pageouts: 0 pages
Swapins: 0 pages
Swapouts: 0 pages

Process: WeatherCat [518]
Path: /Applications/WeatherCat.app/Contents/MacOS/WeatherCat
Architecture: i386
Parent: launchd [215]
UID: 501
Task size: 90555 pages (+1)
CPU Time: 2.099s
Note: Unresponsive for 15 seconds before sampling

Thread 0x7fb2 priority 39-47 cpu time 0.916s
10 start + 53 (WeatherCat) [0x2589]
10 main + 171 (WeatherCat) [0x26e4]
10 NSApplicationMain + 1165 (AppKit) [0x90750ff8]
10 -[NSApplication run] + 727 (AppKit) [0x9076815c]
10 -[NSApplication nextEventMatchingMask:untilDate:inMode:dequeue:] + 119
(AppKit) [0x90775870]
10 _DPSNextEvent + 1602 (AppKit) [0x90776349]
10 _BlockUntilNextEventMatchingListInModeWithFilter + 92 (HIToolbox)
[0x91e266bd]
10 ReceiveNextEventCommon + 526 (HIToolbox) [0x91e268e2]
10 RunCurrentEventLoopInMode + 259 (HIToolbox) [0x91e26b5d]

(CoreText) [0x94c531c7]

1 TTypesetter::TTypesetter(__CFArray
const*, __CFString const*, void const* (*)(__CTRun const*, __CFString const*, void*),
void*) + 344 (CoreText) [0x94c53452]

1
TTypesetter::HandleDeletedGlyphs(TLine&) + 32 (CoreText) [0x94c535c0]

1 <executing in user space>

1 TTypesetter::TTypesetter(__CFArray
const*, __CFString const*, void const* (*)(__CTRun const*, __CFString const*, void*),
void*) + 336 (CoreText) [0x94c5344a]

1
TTypesetter::FinishLayout(std::__1::tuple<TLine const*, TCharStream const*, void
const* (*)(__CTRun const*, __CFString const*, void*), void*,
std::__1::shared_ptr<TBidiLevelsProvider>*, unsigned int, unsigned char> const&,
TLine&, bool, TGlyphList<TDeletedGlyphIndex>*) + 30 (CoreText) [0x94c85ee0]

1 TKerningEngine::PositionGlyphs(TLine&,
TCharStream const*) + 541 (CoreText) [0x94c43369]

1 TAATKernEngine::KernRuns(bool&) +
340 (CoreText) [0x94c43af2]

1
TAATKernEngine::ProcessKernOrderedList(KernOrderedListHeader const*, unsigned
short, long) + 71 (CoreText) [0x94c43cab]

1
TAATKernEngine::KernOrderedList::KernOrderedList(TAATKernEngine&,
KernOrderedListHeader const*, void const*, unsigned short, long) + 318 (CoreText)
[0x94c43e0c]

1 CFDataGetBytePtr + 56
(CoreFoundation) [0x95153348]

1 <executing in user space>

1 -[NSATSLineFragment
layoutForStartingGlyphAtIndex:characterIndex:minPosition:maxPosition:lineFragmentR
ect:] + 435 (AppKit) [0x9082438f]

1 CTypesetterSuggestClusterBreak + 101
(CoreText) [0x94c54d87]

1 TTypesetter::SuggestClusterBreak(long,
double, double, std::__1::function<unsigned char (long)>) const + 163 (CoreText)
[0x94c54e63]

1
TTypesetter::SuggestClusterBreak(std::__1::tuple<TLine const*, TCharStream const*,
void const* (*)(__CTRun const*, __CFString const*, void*), void*,
std::__1::shared_ptr<TBidiLevelsProvider>*, unsigned int, unsigned char> const&, long,
double, double, std::__1::function<unsigned char (long)>) + 101 (CoreText)
[0x94c853df]

1
TTypesetter::FindGraphicalBreak(std::__1::tuple<TLine const*, TCharStream const*,
void const* (*)(__CTRun const*, __CFString const*, void*), void*,
std::__1::shared_ptr<TBidiLevelsProvider>*, unsigned int, unsigned char> const&, long,

```

double, double, std::__1::function<unsigned char (long)> + 108 (CoreText)
[0x94c8554c]
    1 TRun::FindBreak(long, double) const + 1
(CoreText) [0x94c5526d]
    1 <executing in user space>
    1 -[NSATSTypesetter
_layoutLineFragmentStartingWithGlyphAtIndex:characterIndex:atPoint:renderingContext:] + 2904 (AppKit) [0x90822f8d]
    1 -[NSATSLineFragment
getTypographicLineHeight:baselineOffset:leading:] + 696 (AppKit) [0x9082a0c5]
    1 -[NSFont fontForAppearance:] + 74 (AppKit)
[0x907c20af]
    1 _NSGetBoolAppConfig + 21 (AppKit)
[0x90753706]
    1 <executing in user space>
    1 -[NSATSTypesetter
_layoutLineFragmentStartingWithGlyphAtIndex:characterIndex:atPoint:renderingContext:] + 611 (AppKit) [0x90822698]
    1 -[NSConcreteMutableAttributedString
edited:range:changeInLength:] + 5 (Foundation) [0x94744a25]
    1 <executing in user space>
    1 -[NSATSTypesetter
_layoutLineFragmentStartingWithGlyphAtIndex:characterIndex:atPoint:renderingContext:] + 4011 (AppKit) [0x908233e0]
    1 objc_msgSend + 29 (libobjc.A.dylib)
[0x900774ad]
    1 <executing in user space>
    1 -[NSATSTypesetter
_layoutLineFragmentStartingWithGlyphAtIndex:characterIndex:atPoint:renderingContext:] + 4166 (AppKit) [0x9082347b]
    1 -[NSBigMutableString characterAtIndex:] + 152
(Foundation) [0x94747500]
    1 CFStorageGetValueAtIndex + 455
(CoreFoundation) [0x951dce07]
    1 <executing in user space>
    1 -[NSATSTypesetter
_layoutLineFragmentStartingWithGlyphAtIndex:characterIndex:atPoint:renderingContext:] + 4254 (AppKit) [0x908234d3]
    1 objc_msgSendSuper + 83 (libobjc.A.dylib)
[0x90077563]
    1 <executing in user space>
    1 -[NSATSTypesetter layoutParagraphAtPoint:] + 42
(AppKit) [0x90854136]
    1 -[NSATSTypesetter beginParagraph] + 148
(AppKit) [0x90821e18]
    1 -[NSTypesetter beginParagraph] + 134 (AppKit)
[0x90821f5a]

```

```
1 -[NSConcreteTextStorage
attributeAtIndex:longestEffectiveRange:inRange:] + 205 (AppKit) [0x90954dc7]
1 -[NSConcreteMutableAttributedString
attributeAtIndex:longestEffectiveRange:inRange:] + 60 (Foundation) [0x94746922]
1 -[NSRLEArray
objectAtIndex:effectiveRange:runIndex:] + 4 (Foundation) [0x94746ade]
1 <executing in user space>
```